



Tapetech[®]
PROFESSIONAL DRYWALL FINISHING TOOLS

BETTER. FASTER. EVERY TIME.



THE GOLD STANDARD

CORNER APPLICATOR ADAPTER



The Corner Applicator that you love is back – and better than ever! The newly redesigned adapter achieves the exact angle and dimensions of the old Corner Applicator and model HA fiberglass handle that gave you the best feel and results for years. The new adapter retains the D-shape on the adapter that was introduced a few years ago and provides the most secure connection between the tool and the handle. Buy the Corner Applicator (CA07TT or CA08TT) or just the new adapter to retrofit to your current tool. The adapter fits the FHTT and XHTT support handles.

See More [p13](#)

NEW PRODUCT SPOTLIGHT

MOBILE WASH STATION

The TapeTech Mobile Wash Station is the lightest and most portable wash station available. Weighing just 34 pounds, it is the perfect solution for cleaning tools and equipment on the jobsite, especially when water supplies are limited. Working from just a 5-gallon bucket of water, the Mobile Wash Station generates the ideal water pressure to effectively clean drywall finishing tools, paint brushes, rollers, pans and more! The legs of the MWS01-TT and MWS02-TT open and close effortlessly for quick set up, break down and transport.

See More [p35](#)

CARBON FIBER TAPER

The world's lightest automatic taper. At just 5.65 pounds, the 07TT-C is up to 20% lighter than competitive tapers, reducing worker fatigue. Both the main tube and the control tube are carbon fiber, a material that will not dent and is temperature-neutral. No more cold tubes in the winter or hot tubes in the summer!

See More [p9](#)

ANOTHER INDUSTRY FIRST

The redesigned 16TT and 16TT90 Applicator Heads set a new standard for applying compound to internal or external corners in advance of tape or corner bead. The heads are 35% longer than previous models, resulting in increased stability as the Applicator Head moves up or down the corner. The leading edges of the Applicator Heads now feature a contoured recess that allows you to run the Applicator Head over the corner multiple times, if needed, without removing the compound you just applied.

See More [p11](#)

TOOL CASE

The new TapeTech tool case offers everything professionals want in a tool case. Lightweight but extremely strong, with room for more than a full set of tools plus other supplies. Holds TapeTech, AMES and all competitive brands of ATF Tools, including Power Assist and MaxxBow.

See More [p31](#)

WHY CHOOSE?

TAPETECH

For more than three decades, TapeTech has been the Industry Leader for sold Automatic Taping & Finishing Tools. Our unmatched technology and innovation help professional contractors produce superior, consistent results more efficiently than finishing by hand. TapeTech is where top-notch pros find the perfect solution to their drywall finishing needs. Choosing TapeTech means working with tools produced by a company that is dedicated to:

UNMATCHED QUALITY

We have been providing the highest quality tools for over 30 years. You can trust our tools to be the easiest to maintain and **the most dependable tools available.**

NEW INNOVATION

Our engineers strive for continual improvements and develop innovations to complement your existing TapeTech tools - innovations available only from TapeTech.

AVAILABILITY & ONGOING SUPPORT

We have more distributors, dealers and service partners around the world than any other brand. **Finding the best tools, service and support is easy and convenient.** Use the online chat on our website - we can communicate with you in nearly any language.

EDUCATION

We're dedicated to using our expertise to improve drywall finishing for every type of finisher. Whether you choose to **Ask the Expert at www.tapetech.com** or send an e-mail directly to our **dedicated Technical Support team** (techsupport@tapetech.com), there's no company that works harder to help you and your business.

INDUSTRY INVOLVEMENT

We are actively involved in more industry associations than any other ATF tool company. We participate in many industrial committees and trade seminars to constantly improve the drywall industry and provide tools to meet your needs.

In today's highly competitive workplace we have to work smart. The proper tools will help do just that by completing jobs faster and easier. That's exactly what TapeTech's Automatic Taping and Finishing (ATF) Tools are designed to do. When you use TapeTech Tools, not only will you complete jobs in record time, the work will be high quality every time.

INCREASED PRODUCTIVITY

ATF Tools help you finish drywall faster – up to 300% faster than with taping knives, pans and hawks. **Completing the job faster means more profit and the opportunity to win more jobs.**

BETTER FINISH

ATF Tools are designed and calibrated to apply the proper amount of joint compound for a better finish. ATF Tools simultaneously finish both sides of the joint requiring very little, if any sanding. **A superior finish means more satisfied customers.**

CONSISTENT RESULTS

ATF Tools ensure that you get the same high quality results every time. **Consistent results on every wall will result in fewer call backs and more profit.**


ENHANCED SAFETY

By using tools that can complete most of the work in a standard room without stilts or scaffolding, **ATF Tools contribute to a much safer jobsite.**


| Table of Contents | | |
|--|------|-----------------|
| Why TapeTech? | 4 | Information |
| Why ATF Tools? | 5 | |
| Automatic Taping and Finishing Tools | 6 | |
| Automatic Taper | 8 | Taping |
| Corner Rollers | 10 | |
| Applicator Heads | 11 | |
| Nail Spotters | 12 | |
| Corner Applicators | 13 | Finishing Tools |
| MudRunner | 14 | |
| Corner Finishers | 16 | |
| EasyClean Boxes | 18 | |
| MaxxBboxes | 20 | |
| Power Assist MaxxBboxes | 22 | Loading Pump |
| Loading Pumps | 24 | |
| The Wizard Compact Finishing Box Handles | 26 | Handles |
| Support Handles | 27 | |
| Finishing Box Handles | 28 | |
| QuickBox QSX | 29 | Finishing Tools |
| Premium Finishing Knives | 30 | |
| Tool Cases | 31 | Other Tools |
| Semi-Automatic Tools | 32 | |
| Cleaning and Maintenance Tools | 34 | |
| Wash Station | 35 | |
| Continuous Flow System | 36 | |
| Maintenance Schedule | 38 | |
| ProService Program | 39 | |
| ProPoints Program | Back | Programs |

Look for the 'T' icon for exclusive TapeTech products and features.

THE TAPETECH DRYWALL FINISHING SYSTEM



p30 PFKEH40TT Handle Adapter



p30 PFK07TT, PFK12TT, PFK14TT, PFK18TT, PFK24TT, PFK32TT, PFK40TT, PFK48TT Finishing Knives



p8 D3TT, O7TT, O7TT-C, ATX01TT EasyClean Automatic Taper



p11 16TT, 16TT90 Applicator Heads



p10 15TTE, 17TT, 17TTE Corner Rollers



p27 CFA-TT Corner Finisher Adapter



p16 40XTT, 42TT Corner Finishers



p24 76TT, 76XLT, 85T, 85XLT Pumps, Goosenecks and Adapters



p27 FHTT Fiberglass Support Handle with Adapters



p27 XHTT Extension Support Handle with Adapters



p12 NS02TT Nail Spotter



p16 40XTT, 42TT Corner Finishers



p13 CA07TT, CA08TT Corner Applicators



p12 NS03TT Nail Spotter



p27 NSA-TT, CFA-TT Nail Spotter Adapter, Corner Finisher Adapter



p17 48TT, 48TTX EasyRoll Corner Finishers



p14 14TT MudRunner



p33 CT24TT, CT36TT, CT42TT Compound Tubes



p11 CH55TT, CH75TT, CH83TT, CH90TT Cove Applicator Heads



p18 EZ07TT, EZ10TT, EZ12TT, EZ15TT EasyClean Boxes



p29 QB06-QSX, QB08-QSX QuickBox



p20 EHC07, EHC10, EHC12 MaxxBox



p22 PAHC07, PAHC10, PAHC12 Power Assist MaxxBox



p26 The Wizard Compact Finishing Box Handle



p24 76TT, 76XLT, 90T Pumps



p28 8134TT, 8142TT, 8154TT, 8172TT EasyFinish Handles





p33 CTA01TT Compound Tube Filler Adapter



p28 88TT, 8034TT, 8042TT, 8054TT, 8072TT Box XTender Handle and Box Handles

Taping | Finishing | Handles | Pumps

Visit our Learning Center at tapetech.com/learning-center/videos for more information.



The TapeTech EasyClean® Automatic Taper simultaneously applies tape and the correct amount of joint compound for all drywall joints - dramatically improving taping efficiency. The Automatic Taper applies paper joint tape and joint compound to flat and butt joints on walls, ceilings and internal corners up to 300% faster than taping by hand. TapeTech Automatic Tapers are designed to be the most durable, efficient and easy to use tapers.



07TT-C - EasyClean® Carbon Fiber Automatic Taper

The world's lightest and smoothest-running taper. Carbon Fiber main tube and control tube with stainless steel parts for long lasting durability.

Specifications - 07TT-C

| | |
|---------------------------------|--------------|
| Empty Weight | 5.65 lbs |
| Full Weight with 250' tape roll | 16.1 lbs |
| Coverage (approximate) | 80' per load |



07TT - EasyClean® Automatic Taper

The smoothest running taper in the world. Built with stainless steel and gold anodized aluminum for long lasting durability.

Specifications - 07TT

| | |
|---------------------------------|--------------|
| Empty Weight | 6.25 lbs |
| Full Weight with 250' tape roll | 16.7 lbs |
| Coverage (approximate) | 80' per load |



03TT - EasyClean® Automatic Mini-Taper

At just 40.5" long (103 cm), the 03TT EasyClean® Automatic Mini-Taper is 23% shorter than standard Automatic Tapers and is ideal for working in small spaces like closets and hallways or when working from scaffolding.

Specifications - 03TT

| | |
|---------------------------------|--------------|
| Empty Weight | 5.81 lbs |
| Full Weight with 250' tape roll | 14.41 lbs |
| Coverage (approximate) | 62' per load |



ATX01TT - Automatic Taper Extension

The TapeTech Automatic Taper Extension adds 76 cm to your 07TT EasyClean® Automatic Taper. With nearly 60% more length compared to the Taper alone, you'll easily reach joints up to 3.6 m high without the need to invest in a dedicated, extra-long taper that is only used occasionally.

OFF - Filling Position



ON - Taping Position



OPEN - Cleaning Position



PARTS KITS

- PK-AT01 - Taper Wear Parts Kit (03TT, 07TT, 07TT0C)
- PK-AT02 - Taper Tune Up Kit (03TT, 07TT, 07TT0C)
- 501A - Taper Wear Parts Kit (04TT, 05TT)
- 502A - Taper Tune Up Kit (04TT, 05TT)
- 200 - Gooser Assembly Replacement Kit
- 215 - Drive Dog Assembly Replacement Kit

- 335 - Piston Assembly Replacement Kit
- 340 - Cutter Chain Assembly Replacement Kit

COMMON WEAR PARTS


- 03TT, 04TT, 05TT, 07TT, 07TT-C: 059049 - Needle Gooser, 056133 - Pyramid Blade, 054209F - Cable, 059010 - Spring

THE SMOOTHEST TAPER IN THE INDUSTRY

Designed to be the most durable, efficient and easy to use taper making you more productive.


Hard Anodized Cable Drum & Push Rod

for long life and reduced wear



Adjustable Wheel Brake

maintains desired resistance as the wheels wear





Stainless Steel Rollers
for sharp corners and long life

Aluminum Body
for lighter weight and durability

Standard Fasteners
do not require special tools for maintenance

Industrial Quality Delrin Rollers
won't damage corner bead

TapeTech Corner Rollers apply even pressure to quickly and accurately embed paper joint tape in internal corners and paper-faced corner bead or European-style Flex Tape on outside corners. Use the Inside Corner Roller immediately after applying paper joint tape to the internal corner with the automatic taper. The inside corner roller forces excess joint compound out from behind the tape in preparation for the corner finisher or corner flusher. The TapeTech Inside Corner Roller features stainless steel rollers for crisp inside corners and long life. TapeTech Outside Corner Rollers firmly embed paper-faced corner bead or Flex Tape on external drywall corners and remove the excess joint compound from beneath it.



15TTE - Inside Corner Roller

The stainless steel rollers of the 15TTE set the paper tape into the internal corner and produce crisp, clean corners that are ready to embed with joint compound.

Use with FHTT or XHTT Handles - Not Included

17TT - Outside Corner Roller

The nylon rollers of the 17TT provide a smooth surface to prevent damage to standard paper-faced corner bead.

Use with FHTT or XHTT Handles - Not Included

17TTE - Outside Corner Roller


The 17TTE Outside Corner Roller features nylon rollers with extruded edges that are designed to embed steel reinforced paper faced corner bead, also known as flex corner tape.

Use with FHTT or XHTT Handles - Not Included

PARTS KITS

501RSE - Corner Roller Replacement Kit-15TTE
501RD - Corner Roller Replacement Kit-17TT

RELATED PRODUCTS: FHTT, XHTT (see page 27)



Improved design with increased head length for greater stability and contoured areas at the top and bottom which allows the head to run over corners again without removing compound. TapeTech Applicator Heads apply a consistent base coat of joint compound for the cleanest and most efficient installation of paper-faced corner bead or joint tape. The Applicator Head applies the correct amount of joint compound to maximize adhesion and reduce clean up. Attach the 16TT Applicator Head to a Corner Applicator (CA07TT or CA08TT), the 14TT MudRunner® or a Compound Tube (CT24TT, CT36TT, CT42TT) to simplify and accelerate installation of paper-faced corner bead for external (outside) drywall corners. Attach the 16TT90 Applicator Head to a Corner Applicator (CA07TT or CA08TT), the 14TT MudRunner® or a Compound Tube (CT24TT, CT36TT, CT42TT) to simplify and accelerate installation of paper-faced corner bead for internal drywall corners. TapeTech Applicator Heads feature an EasyClean design.



Contoured area



Improved design!

16TT - Outside Corner



Contoured area



Improved design!

16TT90 - Inside Corner

TapeTech Cove Applicator Heads apply a bead of gypsum cove adhesive in precisely the right location for optimal adhesion of gypsum cove. They are designed to work with the most common sizes of Gyprock Cornice, Gyproc Cove, GIB-Cove and other brands of gypsum cove and cornice. Cove Applicator Heads attach securely to all TapeTech Corner Applicator tools but are ideally suited to be used with the Compound Tubes.



CH55TT - Cove Applicator Head



CH75TT - Cove Applicator Head



CH83TT - Cove Applicator Head



CH90TT - Cove Applicator Head

RELATED PRODUCTS: 14TT, CA07TT, CA08TT, CT24TT, CT36TT, CT42TT (see page 13, 14 & 33)



Corner Rollers

Applicator Heads

EasyClean® Pressure Plate Design

Stainless Steel Body

Easy Change Reversible Carbide Blade

Hardened Steel Skid Plate provides smooth operation and best protection

TapeTech Nail Spotters quickly and efficiently fill depressions left from the heads of your drywall fasteners, whether you use nails or screws. Constructed of heavy duty stainless steel, the Nail Spotter is easy to use and extremely durable. A thumb latch and EasyClean® design make access to the body and tool cleaning simple. The blade removes any excess joint compound, leaving the depressions filled for a smooth wall finish. The Nail Spotters feature a reversible carbide blade so you get double the blade life. The blade is easily changed by loosening the nuts that secure the blade holder. The industrial quality gasket provides leak-free performance. TapeTech offers Nail Spotters in two sizes, 2" and 3", to make finishing drywall easy. Nail Spotters require either the XHTT extension handle or the FHTT fiberglass handle, each sold separately.



NS02TT - 2" Nail Spotter



NS03TT - 3" Nail Spotter

COMMON WEAR PARTS

- 630015 - 2" Wiper
- 600005F - 2" Nail Spotter Blade - Carbide
- 680015 - 3" Wiper
- 650005F - 3" Nail Spotter Blade - Carbide

RELATED PRODUCTS: FHTT, XHTT (see page 27)



TRIANGULAR HARDENED STEEL SKID PLATE

Provides the best protection for the carbide blade against protruding nail or screw heads.



D-shaped Fitting securely positions handle and prevents tool from rotating during use

Gold Anodized Aluminum for durability and long life

Stainless Steel Nose Cone

Industrial Quality Filler Valve

Corner Applicators supply joint compound to multiple tools as part of both the Taping process and the Finishing process.

Taping - If you use paper-faced corner bead products, attach TapeTech Applicator Heads to the Corner Applicator to quickly and cleanly apply a uniform amount of joint compound to inside or outside corners.

Finishing - When used with TapeTech Corner Finishers, the Corner Applicator supplies the joint compound to finish both sides of an inside corner at the same time.

Constructed of anodized aluminum with a stainless steel nose cone, TapeTech Corner Applicators provide years of dependable service and require very little maintenance. The Corner Applicator is used in conjunction with either the FHTT Fiberglass handle or the XHTT Extension handle, each sold separately.



CA07TT - 7" Corner Applicator




CA08TT - 8" Corner Applicator

COMMON WEAR PARTS

- 500028 - 7" Wiper
- 350008 - 8" Wiper

RELATED PRODUCTS: FHTT, XHTT (see page 27)



The Corner Applicator that you love is back... and better than ever!

The newly redesigned adapter achieves the exact angle and dimensions of the old Corner Applicator and model HA fiberglass handle that gave you the best feel and results for years. The new adapter retains the D-shape on the adapter that was introduced a few years ago and provides the most secure connection between the tool and the handle. Buy the Corner Applicator (CA07TT or CA08TT) or just the new adapter to retrofit to your current tool. The adapter fits the FHTT and XHTT support handles.

MAXIMUM COVERAGE MINIMUM WORK

Holds 50% more compound than a 8" Corner Applicator and 70% more than a 7" Corner Applicator.



Clear Tube
so you always know how
much compound is left

Quick Release Latches
for easy cleaning

Hydraulic Piston
for consistent flow (internal)

Lubrication Ports (2)
one on each side of the handle

The MudRunner, available only from TapeTech, is the ultimate Corner Applicator, requiring only a twist of your wrist for effortless application. The TapeTech MudRunner® delivers joint compound to corner finishers and applicator heads with precision control and minimal effort. A simple twist of the wrist activates the piston and creates a consistent flow of joint compound. Twist it back and the flow stops immediately.

Taping - Use it with TapeTech Applicator Heads to quickly apply joint compound to internal and external corners when installing paper-faced corner bead to drywall.

Finishing - Use it with TapeTech Corner Finishers to quickly finish both sides of internal corners. The MudRunner delivers almost twice as much joint compound to the corner finisher compared to standard corner applicators, resulting in maximum coverage over the joint tape and superior results.




14TT - MudRunner®

PARTS KITS

144001 - MudRunner Tube Replacement Kit

RELATED PRODUCTS: 16TT, 16TT90, CH55TT, CH75TT, CH83TT, CH90TT, 40XTT, 42TT, 48TT, 48XTT, CF25TT, CF30TT, CF35TT, CF40TT (see page 11, 16 & 32)





Patented Locking Clip secures the corner finisher to the handle

Corner Finishers are used during both the Embedding and Finishing phases to produce crisp and clean 90 degree internal corners with minimal effort. The Corner Finishers can be used for wall-to-wall internal corners or wall-to-ceiling corners.

Embedding - After using the Inside Corner Roller (15TTE) to force excess joint compound from behind the paper joint tape in the internal corners, attach a Corner Finisher to a support handle (XHTT or FHHT) to wipe down the excess joint compound. This will embed the paper joint tape in compound and smooth both edges simultaneously.

Finishing - Attach TapeTech Corner Finishers to the MudRunner or the Corner Applicator to apply joint compound to both sides of the internal corner simultaneously. Use wider Corner Finishers on successive coats to produce the best results.

TapeTech Corner Finishers feature stainless steel frames and skids plus carbide blades for durability and long life.

TapeTech Corner Finishers feature a unique, patented locking clip on the ball retainer that attaches the finisher securely to the MudRunner, Corner Applicator or support handles. This allows you to easily and confidently reach wall and ceiling corners without worrying if the Corner Finisher will detach while you are working.



Improved design!
40XTT - 2" Corner Finisher



42TT - 2 1/2" Corner Finisher


PARTS KITS

- 502F2 - 2" Corner Finisher Blade Change Kit (40TT)
- 501F2A - 2" Corner Finisher Maintenance Kit (40TT)
- 502F2X - 2" Corner Finisher Blade Change Kit (40XTT)
- 502F25 - 2.5" Corner Finisher Blade Change Kit (42TT)
- 501F25A - 2" & 2.5" Corner Finisher Maintenance Kit (40XTT & 42TT)
- 502F3 - 3" Corner Finisher Blade Change Kit (45TT)
- 501F3A - 3" Corner Finisher Maintenance Kit (45TT)

COMMON WEAR PARTS

- 400009F - 2" Carbide Blade
- 420009 - 2 1/2" Carbide Blade
- 450009F - 3" Carbide Blade

RELATED PRODUCTS: FHHT, XHTT with CFA-TT (see page 27)



Corner Finishers

Corner Finishers are used during both the Embedding and Finishing phases to produce crisp and clean 90 degree internal corners with minimal effort. The Corner Finishers can be used for wall-to-wall internal corners or wall-to-ceiling corners.

Embedding - After using the Inside Corner Roller (15TTE) to force excess joint compound from behind the paper joint tape in the internal corners, attach a Corner Finisher to a support handle (XHTT or FHHT) to wipe down the excess joint compound. This will embed the paper joint tape in compound and smooth both edges simultaneously.


Finishing - Attach TapeTech Corner Finishers to the MudRunner or the Corner Applicator to apply joint compound to both sides of the internal corner simultaneously. Use wider Corner Finishers on successive coats to produce the best results.

TapeTech Corner Finishers feature stainless steel frames and skids plus carbide blades for durability and long life.

TapeTech Corner Finishers feature a unique, patented locking clip on the ball retainer that attaches the finisher securely to the MudRunner, Corner Applicator or support handles. This allows you to easily and confidently reach wall and ceiling corners without worrying if the Corner Finisher will detach while you are working.



48TT - 3" EasyRoll® Adjustable Corner Finisher



48XTT - 3 1/2" EasyRoll® Adjustable Corner Finisher


PARTS KITS

- 501F4A - 3" EZ Roll Corner Finisher Maintenance Kit
- 502F4 - 3" EZ Roll Corner Finisher Blade Change Kit
- 501F4AX - 3 1/2" EZ Roll Corner Finisher Maintenance Kit
- 502F4X - 3 1/2" EZ Roll Corner Finisher Blade Change Kit


COMMON WEAR PARTS

- 450009F - 3" Carbide Blade
- 480209 - 3 1/2" Carbide Blade

RELATED PRODUCTS: FHHT, XHTT with CFA-TT (see page 27)




HOW TO SET SPRING ADJUSTMENT ARMS



Adjustment Arms Engaged

- one set of springs is active
- less pressure on the frames
- allows more joint compound to remain

This is the typical setting on the first coat




Adjustment Arms Disengaged


- both sets of springs are active
- more pressure on the frames

This is the typical setting for the final coat

One adjustment arm can be engaged and the other disengaged to leave more joint compound on one side of the corner only when working with uneven corners.



NEW EasyRoll® Wheels for Outside Corners
provides a shoulder to allow finishing of outside corners without after-market attachments or damage to the axle



Pivoting Axle
helps to compensate for uneven walls

Adjustable Crown Dial

Stainless Steel Blade and Skids

Gold Anodized Aluminum
for durability and long life


TapeTech EasyClean® Finishing Boxes have been the industry standard for over 30 years. The finishing box dispenses the proper amount of joint compound over flat joints and butt joints on walls and ceilings. The adjustable crown setting dial allows the user to easily adjust the amount of joint compound applied over the tape on the drywall joint. This is very helpful when progressing from the first embedding application to the second or third finishing coat. The pivoting axle helps to compensate when the drywall or sheetrock on one side of the joint is higher than the other side of the joint. Use the EasyClean Finishing Boxes with any style of TapeTech finishing box handle.



EZ07TT - 7" EasyClean® Box




EZ10TT - 10" EasyClean® Box



EZ12TT - 12" EasyClean® Box



EZ15TT - 15" EasyClean® Box



| | Approximate Linear Foot Coverage* - Embedding Coat (1st Coat) | | | | | | Approximate Linear Foot Coverage* - Finishing Coat (2nd Coat) | | | | | | Recommended Crown Settings | | | | | |
|--------|---|----|----|----|----|----|---|----|----|----|----|----|----------------------------|-----------------|-----|-----|-----|-----|
| | 0 | 1 | 2 | 3 | 4 | 5 | 0 | 1 | 2 | 3 | 4 | 5 | When Using: | 7" | 10" | 12" | 15" | |
| EZ07TT | 15 | 18 | 21 | 24 | 27 | 30 | EZ07TT | 44 | 47 | 50 | 53 | 56 | 60 | 7", 10" and 12" | 0-1 | 2-3 | 4-5 | - |
| EZ10TT | 16 | 18 | 20 | 22 | 24 | 26 | EZ10TT | 48 | 51 | 54 | 57 | 61 | 66 | 7" and 10" | 0-1 | 3-4 | - | - |
| EZ12TT | 18 | 20 | 22 | 24 | 26 | 28 | EZ12TT | 52 | 55 | 58 | 62 | 66 | 70 | 10" and 12" | - | 0-1 | 3-4 | - |
| EZ15TT | 23 | 25 | 28 | 30 | 33 | 35 | EZ15TT | 65 | 69 | 73 | 78 | 83 | 88 | 10" and 15" | - | 0-1 | - | 3-4 |

* Coverage data is approximate only. Actual coverage can vary significantly based on many factors, including type of joint compound, viscosity of joint compound, quality of gypsum panel installation, quality of paper tape installation and the condition of the finishing box. There is no guarantee, written or implied, you will achieve the same coverage in all circumstances.

PARTS KITS

- 501C7 - 7" Wear Parts Kit
- 501C10 - 10" Wear Parts Kit
- 501C12 - 12" Wear Parts Kit
- 501C15 - 15" Wear Parts Kit
- EZROLL-KIT - Finishing Box Wheel Replacement Kit

RELATED PRODUCTS:

- TC01TT Tool Caddy (see page 33)


COMMON WEAR PARTS

- | | | | |
|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| EZ07TT: | EZ10TT: | EZ12TT: | EZ15TT: |
| 200001 - Stainless Steel Blade | 250001 - Stainless Steel Blade | 300001 - Stainless Steel Blade | 340001 - Stainless Steel Blade |
| 200026F - Box Wiper | 250026F - Box Wiper | 300026F - Box Wiper | 340026 - Box Wiper |
| 209039 - Skid Cover (left side) | 209039 - Skid Cover (left side) | 209039 - Skid Cover (left side) | 209039 - Skid Cover (left side) |
| 209006 - Skid Cover (right side) | 209006 - Skid Cover (right side) | 209006 - Skid Cover (right side) | 209006 - Skid Cover (right side) |

CAUTION:
WIDEST LOAD

The new EZ15TT 15" EasyClean Finishing Box is the widest in the industry. Designed for the perfect final coat over butt or uneven joints, there is no equal!

EasyClean® Boxes



NEW EasyRoll® Wheels for Outside Corners provides a shoulder to allow finishing of outside corners without after-market attachments or damage to the axle

Pivoting Axle helps to compensate for uneven walls



Gold Anodized Aluminum for durability and long life

Adjustable Crown Dial

Stainless Steel Blade and Skids

Introducing the first high capacity finishing boxes designed to hold the right amount of joint compound when you really need it – on the first or second coat when you're filling the joint – without the unnecessary weight when you don't need it – on the finish coat. The NEW TapeTech MaxxBox® Finishing Boxes are designed with the optimum capacity to weight ratio. This means that you get more "usable" joint compound – the amount that you can actually get out of the finishing box and onto the wall – when you actually need it, like on the first coat. The Finishing Boxes automatically dispense the proper amount of joint compound and feather the edges of butt joints and flat joints in one pass.

With a usable joint compound capacity that varies by less than 10% across the range, the TapeTech MaxxBox finishing boxes hold the right amount of joint compound to keep you on the wall longer without wearing you out. The MaxxBox series features TapeTech's famous EasyClean® design. The adjustable crown setting dial allows the user to easily adjust the amount of joint compound applied over the tape on the drywall joint. This is very helpful when progressing from the first embedding application to the second or third finishing coat. The pivoting axle helps to compensate when the drywall or sheetrock on one side of the joint is higher than the other side of the joint. Use the MaxxBox Finishing Boxes with any style of TapeTech finishing box handle.




EHC07 - 7" MaxxBox® High Capacity Box



EHC10 - 10" MaxxBox® High Capacity Box



EHC12 - 12" MaxxBox® High Capacity Box



| | Approximate Linear Foot Coverage* - Embedding Coat (1st Coat) | | | | | |
|-------|---|----|----|----|----|----|
| | 0 | 1 | 2 | 3 | 4 | 5 |
| EHC07 | 29 | 35 | 41 | 47 | 52 | 58 |
| EHC10 | 26 | 29 | 32 | 35 | 38 | 42 |
| EHC12 | 22 | 24 | 26 | 29 | 31 | 34 |

| | Approximate Linear Foot Coverage* - Finishing Coat (2nd Coat) | | | | | |
|-------|---|----|----|-----|-----|-----|
| | 0 | 1 | 2 | 3 | 4 | 5 |
| EHC07 | 85 | 91 | 97 | 103 | 109 | 116 |
| EHC10 | 77 | 82 | 86 | 91 | 98 | 106 |
| EHC12 | 62 | 66 | 70 | 74 | 79 | 84 |

| | Recommended Crown Settings | | |
|-----------------|----------------------------|-----|-----|
| When Using: | 7" | 10" | 12" |
| 7", 10" and 12" | 0-1 | 2-3 | 4-5 |
| 7" and 10" | 0-1 | 3-4 | - |
| 10" and 12" | - | 0-1 | 3-4 |

* Coverage data is approximate only. Actual coverage can vary significantly based on many factors, including type of joint compound, viscosity of joint compound, quality of gypsum panel installation, quality of paper tape installation and the condition of the finishing box. There is no guarantee, written or implied, you will achieve the same coverage in all circumstances.

PARTS KITS

- 501C7 - 7" Wear Parts Kit
- 501C10 - 10" Wear Parts Kit
- 501C12 - 12" Wear Parts Kit
- EZROLL-KIT - Finishing Box Wheel Replacement Kit

COMMON WEAR PARTS

- | | | |
|----------------------------------|----------------------------------|----------------------------------|
| EHC07: | EHC10: | EHC12: |
| 200001 - Stainless Steel Blade | 250001 - Stainless Steel Blade | 300001 - Stainless Steel Blade |
| 210024F - Box Wiper | 260024F - Box Wiper | 310024F - Box Wiper |
| 209039 - Skid Cover (left side) | 209039 - Skid Cover (left side) | 209039 - Skid Cover (left side) |
| 209006 - Skid Cover (right side) | 209006 - Skid Cover (right side) | 209006 - Skid Cover (right side) |

RELATED PRODUCTS: TC01TT Tool Caddy (see page 33)

MAXXBOX
Right sized for **maximum productivity**

THE RIGHT SIZE MATTERS




USEABLE CAPACITY OF TAPETECH FINISHING BOXES



Usable Capacity is defined as the amount of joint compound that can be evacuated from the finishing box by fully depressing the pressure plate.


94% More Usable Capacity

MaxxBox®



NEW EasyRoll® Wheels for Outside Corners provides a shoulder to allow finishing of outside corners without after-market attachments or damage to the axle

Pivoting Axle helps to compensate for uneven walls



Gold Anodized Aluminum for durability and long life

Adjustable Crown Dial

Stainless Steel Blade and Skids

Power Assist® **MAXXBOX**®

Right sized for *maximum productivity*

THE BEST OF BOTH WORLDS

Same professional results with approximately 50% of the effort compared to standard finishing boxes.

TapeTech Power Assist® MaxxBox® finishing boxes produce professional results every time with approximately one-half of the effort required when using standard Finishing Boxes due to the patented reverse spring design. The Finishing Boxes automatically dispense the proper amount of joint compound and feather the edges of butt joints and flat joints in one pass. Power Assist® finishing boxes feature a larger capacity that holds more joint compound than the standard EasyClean® Finishing Box and the pressure plate removes easily for even faster, more efficient cleaning.

The adjustable crown setting dial allows the user to easily adjust the amount of joint compound applied over the tape on the drywall joint. This is very helpful when progressing from the first embedding application to the second or third finishing coat. The pivoting axle helps to compensate when the drywall or sheetrock on one side of the joint is higher than the other side of the joint. We highly recommend using the EasyFinish™ bent handles when using the Power Assist Finishing Boxes. The ergonomic bent handle design provides leverage and helps to activate the Power Assist mechanism.




PAHC07 - 7" Power Assist® MaxxBox®



PAHC10 - 10" Power Assist® MaxxBox®



PAHC12 - 12" Power Assist® MaxxBox®



| | Approximate Linear Foot Coverage* - Embedding Coat (1st Coat) | | | | | |
|--------|---|----|----|----|----|----|
| | 0 | 1 | 2 | 3 | 4 | 5 |
| PAHC07 | 24 | 28 | 33 | 38 | 42 | 47 |
| PAHC10 | 19 | 21 | 24 | 26 | 29 | 31 |
| PAHC12 | 15 | 17 | 19 | 20 | 22 | 24 |

| | Approximate Linear Foot Coverage* - Finishing Coat (2nd Coat) | | | | | |
|--------|---|----|----|----|----|----|
| | 0 | 1 | 2 | 3 | 4 | 5 |
| PAHC07 | 69 | 74 | 79 | 83 | 88 | 94 |
| PAHC10 | 57 | 61 | 64 | 68 | 73 | 79 |
| PAHC12 | 44 | 47 | 49 | 53 | 56 | 60 |

| | Recommended Crown Settings | | | |
|-----------------|----------------------------|-----|-----|-----|
| When Using: | 7" | 10" | 10" | 12" |
| 7", 10" and 12" | 0-1 | 2-3 | 4-5 | - |
| 7" and 10" | 0-1 | 3-4 | - | - |
| 10" and 12" | - | 0-1 | 3-4 | - |

* Coverage data is approximate only. Actual coverage can vary significantly based on many factors, including type of joint compound, viscosity of joint compound, quality of gypsum panel installation, quality of paper tape installation and the condition of the finishing box. There is no guarantee, written or implied, you will achieve the same coverage in all circumstances.

PARTS KITS

- 501C7 - 7" Wear Parts Kit
- 501C10 - 10" Wear Parts Kit
- 501C12 - 12" Wear Parts Kit
- EZROLL-KIT - Finishing Wheel Replacement Kit

COMMON WEAR PARTS

- PAHC07:**
 - 200001 - Stainless Steel Blade
 - 210024F - Box Wiper
 - 209039 - Skid Cover (left side)
 - 209006 - Skid Cover (right side)
- PAHC10:**
 - 250001 - Stainless Steel Blade
 - 260024F - Box Wiper
 - 209039 - Skid Cover (left side)
 - 209006 - Skid Cover (right side)
- PAHC12:**
 - 300001 - Stainless Steel Blade
 - 310024F - Box Wiper
 - 209039 - Skid Cover (left side)
 - 209006 - Skid Cover (right side)

RELATED PRODUCTS: TC01TT Tool Caddy (see page 33)

Power Assist® MaxxBox®



New Head Design
features shorter skirt length
for easier cylinder removal

Integrated O-ring
eliminates need
for O-ring enclosure

Integrated Gasket
provides superior seal and eliminates
the need for disposable paper gaskets

PVC Handle Wrap
for easy cleaning

Control Ball
provides secure hand
position when pumping

Easy Clean® Foot Valve
twist-lock design provides secure
attachment and quick removal

TapeTech EasyClean® loading pumps combine reliability with innovation to fill all your automatic taping and finishing tools quickly and efficiently. All TapeTech pumps feature the slim tube design preferred by professional finishers and robust construction for dependable performance and long life. The pumps have a redesigned head and a new Twist-lock foot valve that provides secure attachment and easy removal for cleaning and maintenance. TapeTech pumps do not require a paper gasket for the filler adapter or gooseneck due to an innovative, integrated O-Ring that provides a perfect seal with fewer headaches from lost, worn or damaged paper gaskets you experience with competitor's pumps. Use the pumps with the appropriate filler adapter or gooseneck. TapeTech adapters are engineered to precise tolerances for leak-free performance and long life.




76TT - EasyClean® Pump

Works with most standard buckets. Use with 85T Gooseneck.



76XLTT - Extra Long EasyClean® Pump

Twice the height of the standard 76TT pump, the 76XLTT is designed for 30 gallon barrels or to reduce repetitive bending when filling tools from standard buckets. Use with 85XLTT Gooseneck.



76TT-CA - EasyClean® Pump

For Canada, with extra length for taller buckets. Use with 85T Gooseneck and GSRTT Gooseneck Riser.



85T & 85XLTT - Gooseneck

The TapeTech Gooseneck Adapter is used with the EasyClean® loading pump to fill the automatic taper. It features a heavy duty, durable design to provide years of service.

Fills TapeTech automatic tapers.

85T fits model 72TT and 73TT pumps (with 700049 gaskets, not included), and 76TT. 85XLTT fits model 76XLTT.



90T - Filler Adapter

Attaches to the TapeTech 76TT, 76XLTT or 76TT-CA EasyClean® pump to fill the MudRunner, Corner Applicators, Nail Spotters and EasyClean, MaxxBox® or Power Assist® Finishing boxes with joint compound. New, longer design makes filling finishing boxes even easier.

Also fits model 72TT and 73TT pumps (with 700049 gaskets, not included).



GSRTT - Gooseneck Riser

The GSRTT is used with the 85T Gooseneck to provide stability when using the 76TT-CA EasyClean® Pump.

PARTS KITS

- 501H - Pump Wear Parts Kit - 72TT/73TT
- 501J - Pump Wear Parts Kit - 76TT/76TT-CA/76XLTT
- 501BH - Pump Wear Parts Kit - B74TT/B75TT

- 502H - Pump Tune Up Kit - 72TT/73TT/76TT/76TT-CA/76XLTT
- 502BH - Pump Tune Up Kit - B74TT/B75TT
- 501H1 - Pump Cleaning Kit

COMMON WEAR PARTS

- 72TT, 73TT, 76TT, 76TT-CA, 76XLTT:
- 700032F - Screen (fine mesh)
- 700033F - Screen (coarse mesh)

EasyClean® Pumps

BIG THINGS COME IN SMALL PACKAGES

Easily fit into tight spaces you previously needed to finish by hand.

The new Wizard® Compact Finishing Box Handle from TapeTech provides unmatched control, maximum access and eliminates the learning curve of using traditional finishing box brake handles. It is the only finishing box handle that places your hand directly over the pressure plate, reducing the effort required while providing superior control. It fits into the smallest closets or under stairs and is much safer for workers on scaffolding compared to using a finishing box handle of any other length. But it isn't limited to just tight spaces or scaffolds, the Wizard® is the absolute fastest and easiest way to finish any joints, especially horizontal joints. The innovative design, including the ability to reverse the front handle, allows for multiple ergonomic hand positions to reduce worker fatigue and increase productivity. Every drywall finisher needs the Wizard® in their toolbox!



8000TT - Wizard® Compact Finishing Box Handle




8000TT-PA - Wizard® Compact Finishing Box Handle for Power Assist®



Contoured Handle reversible for multiple hand positions

Ergonomic Main Handle for comfortable, secure grip

Aluminum Mounting Plate fits most brands of finishing boxes



The Wizard®




D-SHAPE DESIGN

New handle design features a flat machined area that locks into the Corner Applicator Adapter (CAA-TT) securely positioning the handle and positively preventing the tool from rotating during use.

TapeTech is the first company to introduce an interchangeable handle system that allows one support handle to be used with every tool. And the new, optimal diameter makes TapeTech handles the most ergonomic* in the industry. The base handle fits the corner roller and corner applicator without any adapters. And the heavy duty, easy-to-change adapters connect the new handles to the nail spotters and corner finishers. Both base handles feature a D-shaped fitting that securely positions the handle in the Corner Applicator and positively prevents the tool from rotating during use.

Now your set of tools can include as little as one support handle! Or dedicate adapters to handles for larger crews. The interchangeable system also makes it easy to have both fixed and extension handles in your toolbox without the expense you would incur to do the same with other brands.

Note: If you use your current Nail Spotters with the new handle system you will need to mount the handle in the back holes of the tabs on the Nail Spotter.



XHTT - Extension Handle

TapeTech extension handles are up to 30% longer than the previous models.




FHTT - Fiberglass Handle

TapeTech fiberglass handles are up to 35% longer than the previous models.



CAA-TT - Corner Applicator Adapter

The Corner Applicator adapter is included with the new Corner Applicators (CA07TT and CA08TT). Or you can purchase it separately to use the new handle system with your existing Corner Applicators.



NSA-TT - Nail Spotter Adapter

The Nail Spotter adapter is included with the new Nail Spotters (Models NS02TT and NS03TT). Or you can purchase it separately to use the new handle system with your existing Nail Spotters.



CFA-TT - Corner Finisher Adapter

The Corner Finisher Adapter quickly and securely attaches to the FHTT or XHTT for use with TapeTech Corner Finishers and Applicator Heads.

**Independent research at the National Institute for Occupational Safety & Health and published in the Journal of Hand Therapy found that the diameter of TapeTech support handles is the optimum size for cylindrical handles. The NIOSH study concluded that the diameter of TapeTech support handles reduces the force required for gripping a tool, protects the underlying joint structures, and reduces the risk of developing cumulative trauma associated with repetitive tasks requiring high grip forces and awkward postures.*


Support Handles

The TapeTech XTender® Finishing Box Handle attaches to the EasyClean®, EasyClean® High Capacity or Power Assist® Finishing Boxes and provides control to cleanly sweep the boxes off the joint for a perfect finish. The XTender is the strongest extendable finishing box handle in the industry and adjusts from 41" to 63" for increased reach and versatility. The XTender handle features a wrap-around style brake system. The wrap-around brake provides a greater working range than the quadrant brake. The ergonomic grip that controls the brake can be adjusted to accommodate different hand sizes and preferences.



88TTE - Box XTender® Handle

TapeTech Finishing Box Handles provide support and control for TapeTech EasyClean®, MaxxBlox® and Power Assist® Finishing Boxes. The anodized aluminum tubes make the handles lightweight and durable. The standard straight fixed-length handles feature a quadrant style brake system. Many contractors prefer this brake style that features a set screw and detent design as it is easier to adjust due to normal wear. The control ball provides positive grip for your top hand and is easily adjusted along the entire straight section of any fixed length handle.



8034TT - 34" Box Handle


8042TT - 42" Box Handle

8054TT - 54" Box Handle

8072TT - 72" Box Handle

TapeTech EasyFinish™ Box Handles provide support and control for TapeTech EasyClean®, MaxxBlox® and Power Assist® Finishing Boxes. TapeTech EasyFinish box handles feature an ergonomic bent handle design for increased leverage and reduced effort. When the gypsum board panels have been installed vertically and the finishing box is starting at the top of the wall, these handles make it easier to push on the pressure plate of the finishing box. The EasyFinish handles feature a quadrant style brake system. Many contractors prefer this brake style that features a set screw and detent design as it is easier to adjust due to normal wear. The control ball provides positive grip for your top hand and is easily adjusted along the entire straight section of any fixed length handle.

EasyFinish box handles are also the preferred handle when working with the Power Assist finishing boxes. The leverage and angle created by the bent handle design help to activate the "power assist" mechanism of the finishing box.



8134TT - 34" EasyFinish™ Handle

8142TT - 42" EasyFinish™ Handle

8154TT - 54" EasyFinish™ Handle

8172TT - 72" EasyFinish™ Handle

Box Handles



Pressure Plate Opens Completely
accommodates filling with hand tools

Glass-filled Polypropylene Shell
provides a slick surface with
maximum strength and durability

EasyChange™ blade system
requires no tools
QB06-QSX - 4 Blade Profiles
QB08-QSX - 3 Blade Profiles
match the application, eliminating
the need for crown adjustments



QB06-QSX - 6 1/2" QuickBox® Finishing Box

QB08-QSX - 8 1/2" QuickBox® Finishing Box

The QuickBox® QSX is the perfect tool for contractors who use fast-setting joint compound for the first coat over the paper or fiberglass joint tape. Constructed from advanced space age materials, fast-setting joint compound is easily removed from the finishing box, even hours or days later. Now you get all the benefits of using a finishing box without worrying if the joint compound dries in the tool. QuickBox® QSX works with all finishing box handles, including the Wizard®. It's about time someone made a finishing box for fast-setting compound!

COMMON WEAR PARTS

| | | | |
|---|---|---|---|
|  |  |  |  |
| QB6003-5, QB8003-5 Flat Finishing | QB6023-5, QB8023-5 .045 Crowned Finishing | QB6033-5 Crowned for exterior seaming applications | QB6043-5, QB8043-5 Notched for adhesive applications |

RELATED PRODUCTS: 88TTE, 8034TT, 8042TT, 8054TT, 8072TT, 8134TT, 8142TT, 8154TT, 8172TT, 8000TT (see page 26 & 28)



Designed for Fast-Setting Joint Compound


QuickBox® QSX

SMOOTH AS SILK


A must when trying to achieve a level five, Q4 or other industry-recognized premium finish standard.

TapeTech premium knives are the Gold Standard for premium wipe-down and finishing knives. Featuring advanced engineering and the highest grade INOX stainless steel, TapeTech knives produce the absolute best finish in the industry. The secret is the strong but flexible INOX blade and the precise fulcrum point designed into the grip area. This allows the blade to have up to ten times more contact area with the surface, generating a superior finish.


The ergonomic design is comfortable even with extended use and significantly reduces the wrist strain that is common when using traditional finishing knives. The knives are easy to use with one hand or two. The extendable handle securely holds any of the knives in place. The angle of the head or length of the handle can easily be adjusted to achieve the optimum results.



PFK07TT - 7" Wipedown Knife



PFK12TT - 12" Wipedown Knife



PFK14TT - 14" Finishing Knife




PFK18TT - 18" Finishing Knife




PFK24TT - 24" Finishing Knife



PFK32TT - 32" Finishing Knife



PFK40TT - 40" Finishing Knife



PFK48TT - 48" Finishing Knife




PFKHATT - Handle Adapter

Compatible with FHTT, XHTT (see page 27)

Ergonomic Grip
new design provides the most ergonomic grip in the industry, improved contours relieve pressure points and fatigue

Superior Strength and Extreme Flexibility
the handle does the work – not your fingers



Stainless Steel
highest grade INOX stainless steel

Blade Protector Included

50% Lighter than Competitive Knives

REPLACEMENT BLADES

PFB07 - 7" Premium Finishing Knife Blade
PFB12 - 12" Premium Finishing Knife Blade
PFB14 - 14" Premium Finishing Knife Blade
PFB18 - 18" Premium Finishing Knife Blade

PFB24 - 24" Premium Finishing Knife Blade
PFB32 - 32" Premium Finishing Knife Blade
PFB40 - 40" Premium Finishing Knife Blade
PFB48 - 48" Premium Finishing Knife Blade



Replaceable Blade System - The most secure blade change system in the industry makes it easy to remove and replace blades that become damaged or worn.

New Design Available June 2021

Premium Finishing Knives




Oversized, Rugged Zipper Closure

Keeps Tools Safe
reinforced padded foam laminate core

Interior Construction
reinforced corrugated plastic structure and dividers

Easy to Transport
heavy duty adjustable/detachable shoulder strap with built-in comfort air cushion

Gentle on Jobsites
600D Black Polyester exterior construction won't damage walls and finished floors



Dedicated area for your company or personal identification



Three heavy-duty Nylon web strap handles

The TapeTech Tool Case keeps your tools organized and protects your investment from damage. The tool case is the lightest tool case in the industry and the soft-sided design won't damage walls and floors. Multiple handles make it easy for one or two people to carry the case around the jobsite or upstairs.



TTCASE - Tool Case

Accommodates more than a standard full set of tools plus other items such as maintenance kits, Bazooka® Oil, tools and cleaning brushes. Holds TapeTech, AMES and all competitive brands of ATF Tools, including Power Assist®, MaxxBox® and other high capacity finishing boxes.

Specifications

Empty Weight: 17 lbs Dimensions: 54¾ x 24¼ x 9¾



MRCASE - MudRunner Case

The MudRunner case is specifically designed to protect and transport the TapeTech MudRunner. Also holds similar competitive products.


Specifications

Empty Weight: 3.15 lbs Dimensions: 62 x 11 x 2½


Tool Cases




Are you still finishing drywall with hand tools like drywall pans and knives? Are you unsure about moving up to Automatic Taping & Finishing Tools because of the cost or you think they are difficult to learn how to use? TapeTech Semi-Automatic tools can help ease the transition to ATF tools. They are the perfect entry level tools to instantly increase your productivity by making finishing internal corners significantly faster.




TapeTech Corner Flushers make quick work of wiping or finishing inside corners. Direct flushers are used to apply joint compound to internal corners. Indirect flushers simply smooth compound that has been applied by another tool. TapeTech flushers work as both a direct or indirect flusher. That means you don't have to decide which model to get, only which sizes fit your needs. The Corner Flushers fit all TapeTech corner tools (XHTT and FHTT handles, CA07TT and CA08TT Corner Applicators and 14TT MudRunner®).




CF25TT - 2 1/2" Corner Flusher



CF30TT - 3" Corner Flusher



CF35TT - 3 1/2" Corner Flusher



CF40TT - 4" Corner Flusher


Only TapeTech offers easy-to-install accessory kits. Easily add a creaser wheel to a flusher to set your tape into the corner and wipe it down simultaneously. Or add wheels to any flusher for smoother performance on the wall. The flexibility of the TapeTech system lets you build the tool with the features you want and change them as needed.



CFK01TT - Roller Kit



CFK02TT - Creaser Wheel Kit



TapeTech Compound Tubes supply joint compound to Corner Flushers for finishing inside corners. Also attaches to TapeTech Corner Applicators (page 13) for applying corner bead to internal and external corners. Available in three sizes, the Compound Tubes disassemble for easy cleaning.



CT42TT - 42" Compound Tube



CT36TT - 36" Compound Tube



CT24TT - 24" Compound Tube



CTA01TT - Compound Tube Filler Adapter

Together with any size Compound Tube, is an alternative to filling finishing boxes with the loading pump. The Filler Adapter quickly attaches to TapeTech Compound Tubes by simply removing the outlet assembly, inserting the Filler Adapter and securing it with the quick-release latches.



TC01TT - Tool Caddy

The perfect accessory for workers who fill their finishing boxes with a compound tube instead of a loading pump. It securely holds any size finishing box in the perfect filling position, even with the handle attached. And it conveniently holds any length compound tube and filler adapter between fills.

IT'S **EASY** TO GET STARTED

Semi-Automatic tools are a cost-effective way to increase your productivity.


Semi Automatic Tools

Keeping your tools clean and performing routine maintenance is the key to protecting your investment and maximizing your productivity. Only TapeTech offers everything you need to keep your tools in top condition. From brushes and cleaning adapters to lubricant and maintenance tools, TapeTech helps you keep your tools on the wall, making you money.



857355 - Gooseneck Cleaning Brush


Specifically designed to keep the Gooseneck clean for optimal operation.



057355 - Taper Tube Cleaning Brush

Specifically designed to quickly and efficiently clean the main tube of the Automatic Taper.

Attaches to any length handle with a standard 3/4" Acme thread



057356 - Pump Tube Cleaning Brush

Specifically designed to quickly and efficiently clean the main tube of the Loading Pump.

Attaches to any length handle with a standard 3/4" Acme thread



CN-TT - Cleaning Nozzle

Connects to standard US hoses without an adapter. Metal construction with male-threaded outlet to connect to CNA-TT and traditional rear-lever design make this nozzle simple and durable – perfect for jobsite use.



CNATT - Cleaning Nozzle Adapter

Securely threads on to the Cleaning Nozzle and fits over the filler valve of the Automatic Taper to thoroughly clean the valve and the head without soaking the user.



CFSTCC - CFS Tool Cleaning Coupling

Used in conjunction with the CNA-TT to fit snugly onto the CFS tool fittings and allow for thorough cleaning.



QCA-TT - Quick Connect Adapter

Use with the CN-TT Cleaning Nozzle with quick-connect garden hose systems commonly found in Europe and other countries.



TMK01TT - ATF Tool Maintenance Kit

12 piece kit includes: 1/16" T-handle Hex Key, 5/64" T-handle Hex Key, 1/8" T-handle Hex Key, 9/64" T-handle Hex Key, .05" Flat Standard Hex Key, 1/4" Nut Driver, 5/16" Nut Driver, 11/32" Nut Driver, 3/8" Nut Driver, Calibration Gauge for Finishing Boxes (FB), Calibration Gauge for Corner Finishers (CF), Plastic Case



RTTC-TT - Taper Cable Repair Tool

Designed to easily fit in your tool box or tool bag and is the correct length for quickly pushing the plunger without damaging the main taper tube.

CLEAN UP YOUR ACT

Avoid environmental consequences of washing joint compound or paint down drains or into the soil. The Mobile Wash Station isolates the washed material in the bucket, making it easier to safely dispose.



Patent Pending

The TapeTech Mobile Wash Station is the first truly portable jobsite washing solution. Quickly and easily clean Automatic Taping & Finishing Tools, painting equipment and more using just a standard bucket of clean water. No running water necessary!

Powered by SHURflo, a world leader in industrial pumps, the Mobile Wash Station circulates the water, creating the optimal pressure to clean the tools. The folding legs open or close with just one hand and provide the ideal working height. No more washing tools on your knees in a bucket or in the dirt. The Mobile Wash Station is easily moved from the vehicle to the jobsite, or from floor to floor, by one person.

MWS01TT - 110V Mobile Wash Station

MWS02TT - 230V Mobile Wash Station

MWS01-LW - Locking Wheel Set



Taper Head
New creaser wheel design for precision corners.

Endurance™ Pump
Endurance Pump features a horizontal design for easier pump loading, long life V-Max Blue™ packings and Chromex™ pump coating to create the most rugged and reliable pump on the market.

Inline Handle
Dual trigger controls the creaser wheel and positively stops joint compound flow with no oozing.

15' whip hose
Increases flexibility.

Taper
Reduced weight to 7 lbs to reduce fatigue.

Flow Control
The industry's first radio frequency (RF) controlled pump controls the flow without wires right at the tool.

No-Tool Hose connection
Makes a fast and secure connection.

Z-Swivel
Eliminates hose kinking.

Extreme-Duty Steel Frame and Flat Proof Tires
Protects critical components from job-site damage. Includes integrated tool tray for convenient storage of tools and accessories.

MaxPower Motor
The MaxPower motor is a totally-enclosed, fan-cooled design that protects the internal components from dirt, dust and joint compound. It features a powerful DC motor that never needs brushes, and Graco stands behind it with a lifetime warranty.

Max Flo™ Design
Max Flo fluid passages and large ball check valve efficiently loads thick joint compound.

25 gallon hopper
Includes air tight lid to preserve joint compound for next day use.

Internal Hopper Filter
Allows joint compound from the job-site to be recycled without wipe-down trash.

Advantage Drive™ System
The critical link between the motor and pump, the Advantage Drive System of hardened steel gears is the longest lasting drive in the industry, and Graco stands behind it with a lifetime warranty.

Quick Release Pump
Tool-free pump removal for easy lifting up stairs or in and out of vehicles.

Tool Wash Station
Power flushes all of the job site tools.

Tool Filling Station
Fills conventional taping tools even when the pump is running.



CTPMP - Bazooka Continuous Flow Pump (120V: US)
CTAPMP - Bazooka Continuous Flow Pump (230V: Australia)

CTEPMP - Bazooka Continuous Flow Pump (230V: Europe)
CTUPMP - Bazooka Continuous Flow Pump (110V: UK)

All pumps include (257133) 50' hose, (223756) 15' whip hose, (16C298) hopper filter and (24D166) Z-Swivel



257133 - 1/2" x 50' NPT Hose



223756 - 15' Whip Hose



24D166 - Z-Swivel



16C298 - Replacement Filter

For Bazooka Continuous Flow pump.



CTFILL - Fill Kit

Used to fill standard Automatic Taping and Finishing Tools from the Continuous Flow Pump.



122267 - Replacement Tire

For Bazooka Continuous Flow pump.



CTVLV - Radio Frequency Controller

For use with Taper and Corner Finisher Handles.



CTBXC - Radio Frequency Controller

For use with Finishing Box Handles.



T05CF - Continuous Flow Taper



CF07H - 7" Continuous Flow Box
CF10H - 10" Continuous Flow Box
CF12H - 12" Continuous Flow Box



CFS8034TT - 34" Continuous Flow Box Handle
CFS8047TT - 47" Continuous Flow Box Handle
CFS8060TT - 60" Continuous Flow Box Handle
CFS8072TT - 72" Continuous Flow Box Handle



The Bazooka Continuous Flow Finishing Box Handles feature the most ergonomic size and shape handle and are up to 40% lighter than previous generations. The tool-less connection to TapeTech continuous flow finishing boxes makes changing handles quick and easy. The improved braking system provides more positive control and longer life. The handles are available in four lengths optimized for today's architectural designs.

CFH40TT - 40" Continuous Flow Support Handle
CFH66TT - 66" Continuous Flow Support Handle



Patent pending pivoting head to improve joint compound flow.

Use with 40XTT, 42TT, 48TT or 48XTT Corner Finishers - Not Included

WHY'S AND WHEN'S OF MAINTENANCE

Regular Maintenance

ATF Tools, just like a car, have parts that wear with normal use. And, just like a car, if these parts are not maintained it can lead to bigger problems. There are a number of wear parts on ATF tools. In fact, wear parts exist on ALL ATF tools.

The key to understanding wear parts is that the amount of time they last depends on three key variables:

TECHNIQUE - how you run the tools. **FREQUENCY** - how often and how long you run the tools. **MAINTENANCE** - how well you clean and lubricate the tools.

IT DOES NOT DEPEND UPON HOW LONG YOU HAVE OWNED THE TOOL.

Wear Parts MUST be changed on a regular basis. When they are not, tool performance suffers, productivity and profitability are diminished and other parts of the tool may become damaged. Which leads to the next category:

Required Service

Required service can become necessary as the result of damage to the tools in any way that is not the result of a defect in parts and workmanship or if the tool is not properly maintained. Maybe the tool was dropped. Maybe you attempted repairs the tool on your own with incorrect tools and insufficient knowledge. Or maybe you did not change wear parts when recommended, leading to premature wear of non-wear parts. You may have neglected to properly clean and lubricate the tools, leading to premature wear of wear and non-wear parts.

Here's an example of how failure to maintain the tools can lead to problems that you may think is a Warranty issue but is actually Required Service: If the Automatic Taper is not properly cleaned and lubricated, the drive dog shaft can freeze inside the cable drum. This can happen within days of purchase if the tool is not maintained! Oftentimes, tool owners will send their tools back for repair assuming this is a Warranty issue, since the tool may be only weeks or days old. But this example is not a Warranty situation. This is required service because the tool was not properly maintained.

REMEMBER: FAILURE TO PROPERLY MAINTAIN THE TOOL ALWAYS LEADS TO REQUIRED SERVICE.

What parts should be changed? And when? USE THIS TABLE AS A GUIDE. Note: These recommendations are based on regular daily use.

Daily - Clean and Lubricate all tools Every Day after use.

Monthly

| TAPERS | | PUMPS | CORNER FINISHERS | FINISHING BOXES |
|---------------|---------------------|-------|------------------|-----------------|
| Pyramid Blade | Spring | | | Blades |
| Gooser Needle | Main Cable Assembly | | | |

Quarterly

| TAPERS | | PUMPS | CORNER FINISHERS | FINISHING BOXES |
|---------------------|---------------|-------------|------------------|-----------------|
| Control Valve Wiper | Gooser Spring | Screens | Blades | Skid Covers |
| Creaser Wheel | Spring | Gasket | Skids | Repair Clips |
| Drive Dog Spring | | Buna Gasket | Setscrews | O-Rings |
| Plunger Cup | | O-Rings | | |

Yearly

| TAPERS | | PUMPS | CORNER FINISHERS | FINISHING BOXES |
|-----------------------|-------------------|--------------------|-----------------------|-----------------|
| Magnet | Valve | Bushing Liner | Springs | Shoulder Screws |
| Cam Gooser Release | Creaser Axle | U-Cup | Blade Tension Springs | Nyliners |
| Chain Roller | Head Bushing | Wiper | Center Clips | Bearing Washers |
| Creaser Chain | Taper Wheel | Valve Disk | Center Clip Assembly | Wheels |
| Bearing Bracket | Head Bushing | Lock Clip | | Wipers |
| Cup Washer | Cutter Block Tube | Pump Foot Wireform | | |
| Control Tube Wheel | Cut Off Spring | | | |
| Roller Axle | Hub | | | |
| Brake Roller | Gooser Guide | | | |
| Brake Roller Assembly | Stopnut | | | |
| Brake Torsion Spring | Bearing Nyliner | | | |
| Insert | Drum Washer | | | |
| Side Plate Shims | Bearing Nyliner | | | |
| Anvil | Liner | | | |



GET THE REPAIRS YOU WANT FAST!

Your TapeTech tools are important to you. They combine with your experience and skill to create perfectly finished drywall surfaces. You've invested in tools that make you money day in and day out. But your tools can only make you money when they are working properly.

Repair Packages - the easiest and quickest way to bring your tools back to life. Each Package has been specifically designed to replace all the parts that typically work together in an area of the tool. In most instances, simply replacing the one part that failed does not result in the optimal operation of the tool. This is because the part that failed is probably surrounded by other parts with significant wear on them. It's necessary to replace these other parts at the same time to keep the tool in top condition.

A la carte Repairs - Our technicians will analyze your tool and provide an itemized quote for approval. This option is recommended if you want to replace just a few parts or if you want to add a few parts to one of our packages.

Note: A la carte repairs can add time to the overall repair cycle as it requires a quote and your written approval prior to starting the repairs.

With all ProService Repair Packages or A la Carte repairs, TapeTech sends back all the parts that we replaced on your tool along with the repaired tool. This is further piece of mind that all the identified parts for your repair were replaced.

Shipping - Your tool ships to and from our facility via FedEx to reduce the amount of downtime you experience without it. You'll get the benefit of our incredibly low national shipping rates and the convenience of over 8,000 FedEx Office and Authorized ShipCenters®.

COMPLETE & EASY The TapeTech ProService program is the most comprehensive repair and maintenance program in the industry. Whether your tool needs a simple tune up or more extensive repairs due to job site damage, ProService makes it easier than ever to get your tools **fixed and back in your hands**.

OPTIMUM PERFORMANCE Over time, some parts experience natural wear and affect the performance of your tools. Professional maintenance keeps your tools up and running – **generating profit for your company**.

QUALITY ASSURANCE And now, TapeTech provides the industry's first service program performed by the same experts who built your tools. **The same technicians, quality parts and factory standards** are now available to keep your tools in top condition.

Getting Started... **Initiate Your Repair Order** - go to www.tapetech.com/ProService and fill out our online form to get your tool repair order in process. Then securely wrap and package your tool, bring it to FedEx and ship using our account.

Or... **Bring Your Tool to One of Our ProService Authorized Repair Partners** - and they will take care of the rest (process, package and ship)!

- **Tool Assessment** - a repair estimate will be provided (*a la carte repairs only*).
- **Estimate Approval** - your written approval is required (*a la carte repairs only*).
- **Tool Repair** - made by our certified technicians to factory specifications.
- **Timely Tool Return** - returned to you, good as new!

MAXpro Pricing

PEACE OF MIND TO TOOL REPAIRS

MAXpro Pricing is designed to give you peace of mind that no tool repair will exceed the stated price and in most cases it will be less. It is intended to streamline the repair process by eliminating the time-consuming repair estimate procedure. With MAXpro Pricing we can return the tool to you faster, getting you back on the job sooner.



THE EASY WAY TO EARN REWARDS!

Welcome to the TapeTech ProPoints Program! The industry's first Loyalty Rewards Program where your purchases earn points that you can redeem for cool TapeTech rewards. Now your TapeTech Tools help you earn money AND great rewards!

BUY

Buy TapeTech tools from an authorized dealer

All new, current models are eligible

Parts do not earn ProPoints

EARN

Register tools online within 14 days

E-mail or Fax the receipt within 30 days

Earn ProPoints

REDEEM

Once a minimum of 1,500 ProPoints are earned, they can be redeemed for rewards!

tapetech.com/promotions/ProPoints



1327 Northbrook Parkway, Ste 400
Suwanee, GA 30024